

02/11/2015 SSL Page 1 of 6 EPA Reg No. 67702-15-239 (24oz) Ortho Insect, Mite & Disease 3-in-1 Ready To Use



ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA:

Almacene el producto a temperatura ambiente y evite que se congele.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Envase no rellenable. No vuelva a utilizar ni llenar este envase. Si está vacío: Colóquelo en la basura o recíclelo, si es posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.



Si por alguna razón usted no está satisfecho con este producto, envíenos por correo el comprobante de compra para obtener un reembolso completo de su precio de compra.

FIRST AID		
IF ON SKIN OR CLOTHING:	Take off contaminated dothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, you may call 1-800-225-2883 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

USER SAFETY RECOMMENDATIONS

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling,

USE PRECAUTIONS:

- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.

USE RESTRICTIONS:

- Do not apply to strawberry fruit that will be used for canning.
- . Do not wet plants to point of runoff or drip.
- · Do not water the treated areas to point of runoff or drip.
- Do not make applications during rain.
- Not for use in outdoor residential misting systems
- . Do not apply more than 10 times per season.
- Do not reapply within 3 days except under extreme pest pressure.
- In case of extreme pest pressure do not reapply within 24 hours.
- Do not apply more than 1 time per day.
- Do not apply more than 18.5 fl. oz. per 100 square feet per application.
- Do not use if temperatures are expected to be over 90°F.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Remove pets, birds, and cover aquariums before spraying.
- Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food
 processing equipment, and food preparation surfaces, or wash them before use.
- Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent
 product runoff, do not over water treated area(s) or apply prior to heavy rainfall.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aguatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not allow adults, children or pets to enter the treated area until sprays have dried.
- Do not spray plants with Ortho* Insect, Mite & Disease 3-in-1 Ready to Use within 21 days of an oil spray.

HOW TO USE:

Shake well before using. Do not dilute.

FOR CONTROL OF FUNGAL DISEASES:

Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

OR CONTROL OF INSECTS/MITES:

Controls a wide range of pests including: Ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants),
Aphids (including Green Peach Aphids), Armyworms, Bagworms, Beet Armyworm, Beetles (including Asparagus Beetle,
Bean Beetles, Blister Beetles, Colorado Potato Beetles, 12-spotted Cucumber Beetles, Cucumber Beetles, Darkling Beetles
(lesser mealworm), Saw-toothed Grain Beetles, Elm Leaf Beetles, Flea Beetles, Japanese Beetles, Mexican and Bean Beetles),
Blow Flies, Borers (including European Corn Borer, and Squash Vine Borer), Cabbage Looper, Cabbageworms (including
Cross-striped Cabbageworm and Imported Cabbageworm), Cankerworms, Caterpillars (including Eastern Tent Caterpillar,
Forest Caterpillar, and Tent Caterpillar), Crane Flies, Crickets, Diamondback Moth Larvee, Earwigs, Fireworms, Fungus Gnats,
Fruit Flies, Giassy Winged Sharpshooter, Grape Leaf skeletonizer, Green Fruit Worm, Harlequin Bug, Hornworms, including
Tomato Hornworm, Katydids, Lace Bugs, Leafhoppers (including Grape Leafhopper, and Potato Leafhoppers), Leafminers,
Leafiters, Loopers, Leafroliers (including Fruittree Leaffollers), Lygus, Maggots (including Apple Maggot and Onion Maggot),
Mealy Bugs, Midges, Millipedes, Mites (including Spider Mites and Clover Mite), Moths (including Artichoke Plume Moth,
Codling Moth, Diamondback Moth, European Pine Tip Moth, Cypsy Moth (adults and larvae), Indian Meal Moth and
Mediterranean Flour Moth), Mushroom Flies, Navel Orangeworm, Pear Psylls, Plant Bugs, Psyllids, Rosestugs, Scale,
Silverfish, Skippers, Sowbugs, Spittlebugs, Squash Bugs, Stalk Bugs, Tamished Plant Bug, Thrips Including Greenhouse
Thrips, Vinegar Flies, Webworms, Weevils (including Boll Weevil, Carrot Weevil, Clover Weevil, and Rice Weevil), Whiteflies.

Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.

For use only on residential gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

3

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), aphids, apple maggot, beetles, mites, moths, spider mites, leafhoppers, leafrollers, leafminers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mlldew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoll, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onlons, peas, peppers, potatoes, raspberries, strawberries, tomatoes	ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), armyworms, beetles, cabbageworms, squash vine borer, armyworms, aphids, mites, spider mites, leafhoppers, leafrollers, leafminers, loopers, onion maggots, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs, weevils	powdery mildew, rust, blight, leaf spots
ORNAMENTALS: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), aphlds, beetles, mites, spider mites, leafnoppers, leafrollers, leafminers, armyworms, loopers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs, weevils	powdery mlldew, rust, blight, blackspot, leaf spots

STORAGE AND DISPOSAL

PESTICIDE STORAGE:

Store at room temperature and protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable. Do not reuse or refill this container. If **empty:** Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

4

PRIMEROS AUXILIOS

SI ENTRA EN CONTACTO CON LA PIEL O

- Quítese la ropa contaminada.
- Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos.

CON LA ROPA: Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

SI ENTRA EN LOS OJOS:

- Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15-20 minutos.
- Si tuviera lentes de contacto, quítelos después de lavarse con agua los primeros cinco minutos y después continúe lavando el ojo.
- Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamientos o al médico, o al buscar tratamiento. Para obtener información adicional sobre este producto pesticida, puede llamar al 1-800-225-2883 para obtener información sobre tratamiento de emergencia.

AVISOS DE PRECAUCIÓN

PELIGRO PARA HUMANOS Y ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos. Evite el contacto con la piel o la ropa. Lávese bien con agua y jabón después de manipular el producto y antes de corner, beber, masticar chicle, consumir tabaco o usar el inodoro.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

- Los usuarlos deben lavarse las manos con abundante agua y jabón antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro.
- Si el pesticida entra en la ropa, los usuarios deben quitársela inmediatamente. A continuación, lávese bien y póngase ropa limpia.

RIESGOS AMBIENTALES

Este producto es tóxico para los organismos acuáticos, incluyendo los peces e invertebrados. No contamine el agua al deshacerse de los utensilios, o del agua que use para lavarios o enjuagarios. No aplique este producto directamente o cerca del agua. El producto que se escurra o sea arrastrado por el viento puede ser peligroso para los peces de los cuerpos de agua adyacentes a las superficies tratadas. Lea el Modo de empleo para conocer las precauciones y los requisitos adicionales.

RIESGOS FÍSICOS O QUÍMICOS

Combustible. No utilice ni almacene cerca del calor o el fuego.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de manera distinta a la indicada en la etiqueta.

PRECAUCIONES DE USO:

- Algunas variedades de uvas y cucurbitáceas son sensibles al azufre y pueden producirse daños en las plantas.
- Tenga cuidado o no rocíe las plantas sensibles al azufre. Si no está seguro, realice un rociado de prueba sobre algunas hojas 2 días antes de rociar la planta completa.

RESTRICCIONES DE USO:

- No aplique sobre las fresas (frutillas) que se utilizarán para enlatado.
- No moje las plantas hasta el punto que el producto se escurra o gotee.
- No riegue las áreas tratadas hasta el punto que el producto se escurra o gotee.
- No haga aplicaciones cuando está lloviendo.
- No debe utilizarse con sistemas residenciales de riego por rocio en exteriores.
- No aplique más de 10 veces por estación.
- No vuelva a aplicar a menos de 3 días excepto cuando existe una presión de plagas extrema.
- Cuando existe una presión de plagas extrema no vuelva a aplicar el producto en menos de 24 horas.
- No aplique más de 1 vez al día.
- No aplique más de 547 ml por cada 9 metros cuadrados por aplicación.
- No utilice si se anticipan temperaturas superiores a los 32° C.
- No aplique este producto de manera que entre en contacto con adultos, niños o mascotas, ya sea directamente o a través de la desviación del producto.
- Retire a las mascotas y aves, y cubra las peceras antes de rociar el producto.
- Antes de la aplicación, retire o cubra los alimentos y el agua para beber que estén expuestos. Retire o cubra los platos, utensilios, equipo para procesado de alimentos y superficies donde se preparan los alimentos, o lávelos antes de usarlos.
- No aplique directamente o cerca del agua, drenajes de tormenta o cunetas de desagüe. No aplique el producto cuando el día esté ventoso. Para evitar el escurrimiento del producto, no riegue el/las área(s) tratada(s) en exceso ni lo aplique antes de fuertes lluvias.
- No aplique directamente en alcantarillas o desagües, ni en cualquier área similar a un canalón donde se pueda producir el drenaje hacia desagües de tormenta, cuerpos de agua o hábitats acuáticos. No permita que el producto ingrese en ningún desagüe durante ni después de la aplicación.
- No permita que los adultos, niños o mascotas ingresen al área tratada hasta que el rociado se haya secado.
- No rocíe las plantas con el Control de insectos, enfermedades y ácaros 3 en 1 de Ortho® listo para usar dentro de los 21 días posteriores a un rociado de aceite.

CÓMO USAR:

6

Agite bien antes de usar. No diluir.

PARA CONTROLAR ENFERMEDADES FÚNGICAS:

Controla una amplia variedad de enfermedades fúngicas, incluyendo: manchas negras, mildiú polvoroso, roya, fusariosis, añublo, podredumbre morena y manchas en las hojas. Rocíe bien todas las áreas de la planta, en especial los nuevos brotes. Para un mejor control, aplique como un rocío de protección a comienzos de la temporada antes de la aparldón de las enfermedades. Vuelva a rociar cada 7 a 10 días o luego de la lluvia. Puede utilizarse hasta el día anterior a la cosecha.

PARA CONTROLAR INSECTOS/ÁCAROS:

Controla una amplia variedad de plagas, incluyendo: hormigas (excepto hormigas de fuego, hormigas recolectoras, hormigas faraonas y hormigas carpinteras), áfidos (incluyendo pulgón verde del melocotonero), gusano soldado, oruga de bolsón, gusano soldado, en remolacha, escarabajos (incluyendo escarabajo del espárago, escarabajo del frijol, escarabajo ande la papa de Colorado, escarabajo de 12 manchas del pepino, escarabajo del pulga, escarabajo aponés, escarabajo mexicano y escarabajo del frijol), moscardón, barrenadore (incluyendo barrenador europeo del maíz y barrenador de guía de la calabaza), gusano medidor del repollo, gusano de la col (incluyendo gusano de la col rayado y gusano de la col limportado), gusano medidor, orugas (incluyendo gusano tendero del este, oruga de tienda de bosque, y gusano telarañoso), tipula, grillo, gusano de palomilla dorso de diamante, tijereta, gusano de fuego, mosquito de hongo, mosca de la fruta, chicharrita de alas cristalinas, descamador de la vid, gusano verde de fruta, chincha afleguín, gusanoso picudos incluyendo el del tomate,

saltamontes longicornios, chinche de encaje, saltarilla (incluyendo saltarilla de la uva y de la papa), gusano minador, hilador follar, gusano medidor, polilla lepidóptera (incluyendo polillas lepidópteras de árboles frutales), chinche lygus, gusanos (incluyendo gusano de la manzana y de la cebolla), cochinilla harinosa, chinches chupadoras, milpiés, ácaros (incluyendo arañuelas rojas y arañas rojas del trébol), polillas (incluyendo polilla de los penachos de la alcachofa, polilla gitana (adultos y larvas), polilla de la harina y polilla mediterránea de la harina), mosca del hongo, gusano de naranja navel, psillido de la pera, Insecto de planta, psilidos, babosa de la rosa, cochinilla, lepisma, capitán, cochinilla, gusano escupidor, insecto de planta de los prados, chinche hedionda, chinche lygus, trípidos incluyendo trípidos de los invernaderos, mosca del vinagre, gusano peludo, gorgojo de la decodón, gorgojo de la azanahoria, gorgojo del trébol y gorgojo del arroz), mosca blanca. Rocíe bien todas las áreas de la planta, en especial los nuevos brotes y el reverso de las hojas. El rociado debe entrar en contacto con las plagas para controlarias.

Para utilizar exclusivamente en jardines domésticos. No debe utilizarse en establecimientos agrícolas dedicados a la cosecha de cultivos y productos para reventa.

LUGARES DE USO: INTERIORES/ EXTERIORES E INVERNADEROS	PLAGAS	ENFERMEDADES
ÁRBOLES FRUTALES Y DE NUECES: almendros, manzanos, cerezos, cítricos, avellanos, nectarinas, melocotones, perales, ciruelos, pasas secas, nogales.	hormigas (excepto hormigas de fuego, hormigas recolectoras, hormigas faraonas y hormigas carpinteras), áfichos, guanos de la manzana, escarabajos, ácaros, polilitas, arañuelas rojas, cicadélidos, polilitas lepidópteras, gusanos minadores, orugas, moscas blancas, gusanos escupidores, cochinillas harinosas, cochinillas, tripidos, psílidos, insectos de planta, moscas de las frutas, tijeretas	
VERDURAS Y VIDES: frijoles, remolachas, zarzamoras, arándanos, brócoll, coles de Bruselas, repollos, zanahorias, colifores, maíz, cucurbitáceas (pepinos, melones, calabazas y zapallos), grosellas, grosellas espinosas, uvas, coles rizadas, cebollas, arvejas, pimientos, papas, frambuesas, fresas (frutillas), tomates	hormigas (excepto hormigas de fuego, hormigas recolectoras, hormigas faraonas y hormigas carpinteras), gusanos soldado, escarabajos, gusanos de la col, barrenadores de guía de la calabaza, áfidos, ácaros, arañuelas rojas, saltarillas, polillas lepidópteras, gusanos minadores, gusanos medidores, gusanos de la cebolla, orugas, moscas blancas, gusanos escupidores, cochinillas harinosas, cochinillas, trípidos, psilidos, insectos de planta, moscas de las frutas, tijeretas, gorgojos	mildiú polvoroso, roya , añublo, manchas en las hojas
PLANTAS ORNAMENTALES: plantas y arbustos en flor, plantas leñosas ornamentales, rosales, árboles y plantas de interior	hormigas (excepto hormigas de fuego, hormigas recolectoras, hormigas faraonas y hormigas carpinteras), áfidos, escarabajos, ácaros, arafuelas rojas, saltarillas, polillas lepidópteras, gusanos minadores, gusanos soldado, gusanos medidores, orugas, babosas de la rosa, moscas blancas, gusanos escupidores, cochinillas harinosas, cochinilla, trípidos, psilidos, insectos de planta, chinches de encaje, tijeretas, gorgojos	mildiú polvoroso, roya , añubio, mancha negra, manchas de las hojas

FIRST AID

SKIN OR

- Take off contaminated dothing.
- Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, you may call 1-800-225-2883 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

USER SAFETY RECOMMENDATIONS

- · Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using
- Users should remove dothing immediately if pesticide gets inside. Then wash thoroughly and put on dean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store at room temperature and protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Questions & Comments Call 1-800-225-2883 or visit our website at www.ortho.com





If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

©2015 The ORTHO Group. World rights reserved. Marysville, OH 43040

EPA Reg. No . 67702-15-239 EPA Est. No. 239-IA-31, 239-MS-1M Superscript is first letter of lot number.

